

AGILENT TECHNOLOGIES
Legal Department, DL42
Intellectual Property Administration
P. O. Box 7599
Boulder, Colorado 80537-0599



PATENT APPLICATION
ATTORNEY DOCKET NO. 10004397-1

IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

D. Lawrence
#2
8.13.00
RECEIVED
MAY 8 - 2003

Inventor(s): Jay K. Bass et al.

Serial No.: 09/846,474

Examiner: Brian R. Gordon

Filing Date: 04/30/2001

Group Art Unit: 1743

Title: ERROR DETECTION IN CHEMICAL ARRAY FABRICATION

COMMISSIONER FOR PATENTS
PO Box 1450
Alexandria, VA 22313-1450

PETITION FOR EXTENSION OF TIME

Sir:

In an Office Action mailed on 01/02/2003, on the above-identified U.S. Patent application, a shortened statutory period of 3 months was set for response. In accordance with 37 C.F.R. 1.136(a), applicant(s) hereby request(s) a:

- ☒ one month
- ☐ two months
- ☐ three months
- ☐ four months

time extension so that the period for response to the Office Action expires on 05/02/2003.

Authorization to charge the fee required by 37 CFR 1.17 to Deposit Account 50-1078 appears in the enclosed transmittal letter. At any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account 50-1078 pursuant to 37 CFR 1.25.

05/07/2003 MDANTE1 00000084 501078 09846474

01 FC:1251 110.00 CH

I hereby certify that this correspondence is being deposited with the United States Postal Service as :

- ☒ First Class Mail
- ☐ "Express Mail Post Office to Addressee" service under 37 CFR 1.10.

"Express Mail" label no.

in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.

Date of Deposit: 05/02/2003

Typed Name: Elizabeth Miller

Signature: Elizabeth Miller

Respectfully submitted,

Jay K. Bass et al.

By: Gordon M. Stewart

Gordon M. Stewart

Attorney/Agent for Applicant(s)
Reg. No. 30,528

Date: 05/02/2003

Telephone No.: (650) 485-2386